ELSEVIER

Microporous and Mesoporous Materials 21 (1998) 717–720

MICROPOROUS AND MESOPOROUS MATERIALS

Contents

AFM imaging of the surface of natural heulandite
S. Yamamoto, S. Sugiyama, O. Matsuoka, T. Honda, Y. Banno and H. Nozoye 1
External modification of zeolite by metal surfactant for methanol amination
Z. Hu, W. Lihui, S. Chen, J. Dong and S. Peng 7
Synthesis of the silicoaluminophosphate molecular sieve SAPO-31 in the presence of fluoride ions and its characterization
B. Abbad, M. Attou and H. Kessler 13
Effect of the cation mobility on the X-ray diffraction pattern and the Si MAS NMR spectra of Na,CoY zeolites
M. Solache, I. García, P. Bosch, S. Bulbulian, A. Blumenfeld and J. Fripiat 19
Diffusion in heteroionic zeolites: part 1. Diffusion of water in heteroionic natrolites
A. Dyer and H. Faghihian 27
Diffusion in heteroionic zeolites: part 2. Diffusion of water in heteroionic stilbites
A. Dyer and H. Faghihian 39
Investigation of the microporous structure of clays and pillared clays by ^{129}Xe NMR
C.-J. Tsiao, K.A. Carrado and R.E. Botto 45
Alkylation of 1-naphthol with methanol over modified zeolites
S.J. Kulkarni, K.V.V.S.B.S.R. Murthy, K. Nagaiah, M. Subrahmanyam and K.V. Raghavan 53
Sorption properties of $Mo(CO)_6$ on thin Y-zeolite layers
B.R. Müller and G. Calzaferri 59
Synthesis and characterisation of titanium-containing MCM-41 using $(NH_4)_3[Ti(O_2)F_5]$ as the titanium source
T.E.W. Nießen, J.P.M. Niederer, T. Gjervan and W.F. Hölderich 67
Heterogeneity of OH groups in mordenites. IR studies of benzene and carbon monoxide sorption and NMR studies
J. Datka, B. Gil and J. Węglarski 75
Study of cloverite molecular sieves modified by grafting organometallic complexes inside the pores. I. Synthesis and characterization of cloverite modified by grafting–SnR_3 fragments (R = Me, Et, *n*-Bu, Cy)
M. Adachi, J. Corker, H. Kessler, F. Lefebvre and J.M. Basset 81
Characterization of coke on H-gallosilicate (MFI) propane aromatization catalyst. Influence of coking conditions on nature and removal of coke
V.R. Choudhary, C. Sivadinarayana, P. Devadas, S.D. Sansare, P. Magnoux and M. Guisnet 91
Stabilization of natural Faujasite zeolite: possible role of alkaline earth metal ions
R. Singh and P.K. Dutta 103
The effect of NH_3 on the ionic conductivity of dehydrated zeolites Na beta and H beta
U. Simon, U. Flesch, W. Maunz, R. Müller and C. Plog 111
Influence of the preparation parameters (particle size and aluminium concentration) on the textural properties of Al-pillared clays for a scale-up process
A. Sánchez and M. Montes 117
Investigations on P zeolites: synthesis and structure of the gismondine analogue, highly crystalline low-silica CaP
B.R. Albert, A.K. Cheetham and C.J. Adams 127

Investigations on P zeolites: synthesis, characterisation, and structure of highly crystalline low-silica NaP
B.R. Albert, A.K. Cheetham, J.A. Stuart and C.J. Adams 133
Rietveld refinement of the zorite structure of ETS-4 molecular sieves
G. Cruciani, P. De Luca, A. Nastro and P. Pattison 143

Patents Report 155
Newsbrief 167

Zeolite-based catalysts for chemicals synthesis
M.E. Davis 173
New structures—new insights: Progress in structure analysis of nanoporous materials
H. Gies, B. Marler, S. Vortmann, U. Oberhagemann, P. Bayat, K. Krink, J. Rius, I. Wolf and C. Fyfe 183
Searching for new high silica zeolites through a synergy of organic templates and novel inorganic conditions
S.I. Zones, Y. Nakagawa, G.S. Lee, C.Y. Chen and L.T. Yuen 199
Zeolitic coatings and their potential use in catalysis
J.C. Jansen, J.H. Koegler, H. van Bekkum, H.P.A. Calis, C.M. van den Bleek, F. Kapteijn, J.A. Moulijn, E.R. Geus and N. van der Puil 213
Advances in liquid-phase organic reactions using heteropolyacid and clay
Y. Izumi, K. Urabe and M. Onaka 227
Mesocrystal engineering using non-bonded interaction to obtain optically transparent mesoporous silica films and plates with uniform orientation
C.H. Ko, J.M. Kim and R. Ryoo 235
Strategies for the synthesis of large zeolite single crystals
S. Qiu, J. Yu, G. Zhu, O. Terasaki, Y. Nozue, W. Pang and R. Xu 245
Time-resolved, in situ X-ray diffraction studies of the hydrothermal syntheses of microporous materials
D. O'Hare, J.S.O. Evans, R.J. Francis, P.S. Halasyamani, P. Norby and J. Hanson 253
Nanometer scale precursors in the crystallization of Si–TPA–MFI
P.-P.E.A. de Moor, T.P.M. Beelen, B.U. Komanschek and R.A. van Santen 263
Heteroatom-substituted microporous gallium phosphates
A.M. Chippindale and A.R. Cowley 271
A new method for the synthesis of TS-1 monolithic zeolite
K.T. Jung and Y.G. Shul 281
Preparation of microporous silica from metakaolinite by selective leaching method
K. Okada, A. Shimai, T. Takei, S. Hayashi, A. Yasumori and K.J.D. MacKenzie 289
Preparation of a covalently pillared α-zirconium phosphite–diphosphonate with a high degree of interlayer porosity
G. Alberti, U. Costantino, F. Marmottini, R. Vivani and P. Zappelli 297
Synthesis of BEA by dry gel conversion and its characterization
P.R.H.P. Rao, C.A. Leon y Leon, K. Ueyama and M. Matsukata 305
Studies of oxidative dehydrogenation of ethanol over manganese oxide octahedral molecular sieve catalysts
H. Zhou, J.Y. Wang, X. Chen, C.-L. O'Young and S.L. Suib 315
Early stages of MFI film formation
T. Nakazawa, M. Sadakata and T. Okubo 325
Nucleation and growth theory in zeolite synthesis
C.G. Pope 333
Modeling of zeolite crystallization: the role of gel microstructure
V. Nikolakis, D.G. Vlacho and M. Tsapatsis 337
Theoretical studies of Se clusters in zeolite LTA
A.A. Demkov and O.F. Sankey 347
Model-free density reconstruction of host/guest compounds from high-resolution powder diffraction data
K. Knorr, F. Mädler and R.J. Papoular 353

The crystal structure of analcime
Y. Yokomori and S. Idaka 365
Characteristics of the synthetic heulandite– clinoptilolite family of zeolites
D. Zhao, K. Cleare, C. Oliver, C. Ingram, D. Cook, R. Szostak and L. Kevan 371
Hollow nanospheres, allophanes: 'All-organic' synthesis and characterization
G.-G. Lindner, H. Nakazawa and S. Hayashi 381
Non-silica-based mesostructured material. 2. Synthesis of hexagonal superstructure consisting of 11-tungstophosphate anions and dodecyltrimethylammonium cations
A. Taguchi, T. Abe and M. Iwamoto 387
Preparation and photochromism of sulfonated spiropyran–silica nanocomposites
H. Tagaya, T. Nagaoka, T. Kuwahara, M. Karasu, J.-i. Kadokawa and K. Chiba 395
Combination of single crystal zeolites and microfabrication: two applications towards zeolite nanodevices
L. Scandella, G. Binder, T. Mezzacasa, J. Gobrecht, R. Berger, H.P. Lang, C. Gerber, J.K. Gimzewski, J.H. Koegler and J.C. Jansen 403
Mesoporous basic zirconium sulfate: structure, acidic properties and catalytic behaviour
V.N. Romannikov, V.B. Fenelonov, E.A. Paukshtis, A.Y. Derevyankin and V.I. Zaikovskii 411
Density functional study for estimating Brønsted acid site strength in isomorphously substituted ZSM-5
A. Chatterjee, T. Iwasaki, T. Ebina and A. Miyamoto 421
Double bond migration of 1-butene without protonated intermediate on D-ZSM-5
J.N. Kondo, K. Domen and F. Wakabayashi 429
Converting light hydrocarbons containing olefins to aromatics (Alpha Process)
Y. Nagamori and M. Kawase 439
Synthesis of pyridine bases on zeolite catalyst
S. Shimizu, N. Abe, A. Iguchi, M. Dohba, H. Sato and K.-i. Hirose 447
Catalytic activity of a zeolite disc synthesized through solid-state reactions
I. Kiricsi, S. Shimizu, Y. Kiyozumi, M. Toba, S.-i. Niwa and F. Mizukami 453
Efficient preparation of binaphthol-derived active μ_3-oxo titanium catalyst by using hydrated Na-zeolites (molecular sieves)
K. Mikami, M. Terada, Y. Matsumoto, M. Tanaka and Y. Nakamura 461
The gallophosphate molecular sieve cloverite as a host for liquid crystals
H.-L. Zubowa, H. Kosslick, H.-E. Carius, S. Frunza, L. Frunza, H. Landmesser, M. Richter, E. Schreier, U. Steinike and R. Fricke 467
Alkane oxidation by dinuclear iron complexes in hexagonal mesoporous solids
P.-P. Knops-Gerrits, A. Verberckmoes, R. Schoonheydt, M. Ichikawa and P.A. Jacobs 475
Sorption, diffusion and catalytic properties of zeolites containing 10- and 12-member ring pores in the same structure
A. Corma 487
Triphase, solvent-free catalysis over the TS-1/H_2O_2 system in selective oxidation reactions
R. Kumar and A. Bhaumik 497
Pinacol rearrangement over metal-substituted aluminophosphate molecular sieves
B.-Y. Hsu and S. Cheng 505
Selective catalytic reduction of NO*x* by propane on Co-loaded zeolites
T. Tabata, H. Ohtsuka, L.M.F. Sabatino and G. Bellussi 517
State and coordination of metal ions in high silica zeolites. Incorporation, development and rearrangement during preparation and catalysis
Z. Sobalík, J. Dědeček, I. Ikonnikov and B. Wichterlová 525
The effect of zeolite structures on the creation of InO^+ active sites for NO_x reduction with methane
M. Ogura, T. Ohsaki and E. Kikuchi 533
CVD of silica on a palladium-loaded zeolite: a method of cancelling activity retardation by water vapor in the reduction of NO
M. Suzuki, J. Amano and M. Miwa 541

Selective catalytic reduction of N_2O by C_3H_6 over Fe–ZSM-5
K. Yamada, C. Pophal and K. Segawa 549
Catalytic degradation of polyethylene and polypropylene into liquid hydrocarbons with mesoporous silica
Md.A. Uddin, Y. Sakata, A. Muto, Y. Shiraga, K. Koizumi, Y. Kanada and K. Murata 557
Brønsted acid strength of zeolites studied by ^1H NMR: scaling, influence of defects
L. Heeribout, V. Semmer, P. Batamack, C. Dorémieux-Morin and J. Fraissard 565
Synthesis and characterization of vanadium (IV) complexes in NaY zeolite supercages
A. Kozlov, K. Asakura and Y. Iwasawa 571
Quantitative HRTEM study of zeolite
N. Ohnishi, T. Ohsuna, Y. Sakamoto, O. Terasaki and K. Hiraga 581
Structure analysis of mesoporous material 'FSM-16'. Studies by electron microscopy and X-ray diffraction
Y. Sakamoto, S. Inagaki, T. Ohsuna, N. Ohnishi, Y. Fukushima, Y. Nozue and O. Terasaki 589
Novel templating fabrication of nano-structured Pt clusters and wires in the ordered cylindrical mesopores of FSM-16 and their unique properties in catalysis and magnetism
M. Sasaki, M. Osada, N. Sugimoto, S. Inagaki, Y. Fukushima, A. Fukuoka and M. Ichikawa 597
Effects of in-situ chemical vapour deposition using tetraethoxysilane on the catalytic and sorption properties of ZSM-5
H.P. Röger, M. Krämer, K.P. Möller and C.T. O'Connor 607
Photoluminescent properties of ion-exchangeable layered oxides
A. Kudo and E. Kaneko 615
Photoluminescence property and photocatalytic reactivity of V-HMS mesoporous zeolites. Effect of pore size of zeolites on photocatalytic reactivity
S.G. Zhang, M. Ariyuki, H. Mishima, S. Higashimoto, H. Yamashita and M. Anpo 621
Porous aggregates of unidirectionally oriented microcrystallites of heteropoly compounds
K. Inumaru, T. Ito and M. Misono 629
Pore structure and shape selective catalysis of bifunctional microporous heteropoly compounds
T. Okuhara, T. Yamada, K. Seki, K.-i. Johkan and T. Nakato 637
NMR diffusion measurements in heterogeneous media using pulsed radio-frequency field gradients
J.M. Dereppe, C. Moreaux and F. Humbert 645
Characterization of the benzene molecule adsorbed in USY zeolite using double quantum filtered NMR spectral analysis
Y.-H. Chen, W.-T. Chang, P.-C. Jiang and L.-P. Hwang 651
Adsorption of sodium dodecyl sulfate on layered double hydroxides
P.C. Pavan, G. de A. Gomes and J.B. Valim 659
Adsorption of water vapor and hydrophobicity of ordered mesoporous silica, FSM-16
S. Inagaki and Y. Fukushima 667
Vibrational dynamics of adsorbed D_2O on Brønsted hydroxyl group in a zeolite
K. Domen, T. Fujino, A. Wada, C. Hirose and S.S. Kano 673
Measurement of the diffusivities within MFI- and Y-type zeolite catalysts in adsorption and desorption processes
Y. Fujikata, T. Masuda, H. Ikeda and K. Hashimoto 679

Patents Report 687
Newsbrief 699
Author Index, Vol. 21 709
Subject Index, Vol. 21 713
Cumulative Contents, Vol. 21 717